

# physics2 manual for the legacy physics users

Zhang Tingxuan

2023/02/07 Version 0.1.1\*

## Abstract

This short document describes `physics2` package for those who are used to the `physics` package. This document is only a simple reference manual for:

- Frequent users of the legacy `physics` package;
- Those who have to maintain a document written with `physics`;
- Users who failed to use `unicode-math` with `physics`.

It seems no reason for any other user to read *this* document instead of the [package documentation](#) of `physics2`, because this document cannot describe the package in detail.

In this document, the modules of `physics2` will be introduced in the same order as the `physics` documentation.

## Contents

<b>1</b>	<b>Before you start</b>	<b>2</b>	2.2	Vector notation . . . . .	5
1.1	Legacy problems with <code>physics</code> package . . . . .	2	2.3	Operators . . . . .	6
1.2	Loading <code>physics2</code> . . . . .	2	2.4	Quick quad text . . . . .	7
<b>2</b>	<b>List of commands</b>	<b>3</b>	2.5	Derivatives . . . . .	7
2.1	Automatic bracing . . . . .	3	2.6	Dirac bra-ket notation	8
			2.7	Matrix macros . . . . .	11

---

\*<https://www.github.com/AlphaZTX/physics2>

# 1 Before you start

## 1.1 Legacy problems with `physics` package

The `physics` package provides `\qty` command for automatic-sizing braces. The `\qty` command would cause conflict with the `siunitx` package, which provides a unified method to typeset numbers and units correctly.

Besides, after you loaded `physics`, when you type `\homework` you will get Maxwell equations and Schrödinger equation. The `\homework` command is “declared” in `physics.sty` but it was not described in the documentation. That is, if you have defined `\homework` before loading `physics` package, `physics` would overwrite the definition “silently”.

The vector-notation part of `physics` uses `amsmath`’s (more exactly, `amsbsy.sty`’s) `\boldsymbol` command to generate bold vectors. Commands for cross/dot product are defined with `\boldsymbol`. `\boldsymbol` uses `\mathversion`, a  $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$  kernel command that works well with traditional TFM-based fonts but fails when using `unicode-math`.

In the definition of `\imat`, `\xmat`, `\dmat` and `\admat` commands from `physics`, there is a `\newtoks` command which allocates a token list register and two `\newcount` commands allocating two count registers. Every time you write a command like `\imat` in your document, then one token list register and two count registers will be wasted. What’s even worse is that, if you wrote really too many matrix commands from `physics` (for example, 32767 `\imats` in  $\text{LuaL}^{\text{A}}\text{T}_{\text{E}}\text{X}$ ), there’d be no room for a new `\count`.

`physics` integrated all the functions in one file (`physics.sty`), that is, you cannot load one of the total seven parts of functions; you have to load the seven parts altogether, even included the extra `\homework` command we mentioned in the first paragraph.

Moreover, the code of `physics.sty` “abuses” the `g`-type arguments of `xparse` package. Therefore the syntax of `physics` package looks kind of weird. See [here](#) for more.

## 1.2 Loading `physics2`

The `physics2` package includes different modules, among which every module focuses on one single function.

Write the following line in the preamble to load `physics2`:

```
\usepackage{physics2}
```

But this is not enough. `physics2` contains different modules, among which, only the `common` module would be loaded automatically by the package. If you want to load other modules of `physics2`, write this after loading `physics2` package:

```
\usephysicsmodule{<module list>}
```

For example, “`\usephysicsmodule{ab,doubleprod}`” loads the `ab` module and the `doubleprod` module.

You can also load a module with options:

```
\usephysicsmodule[<option list>]{<module>}
```

For example, “`\usephysicsmodule[legacy]{ab}`” loads `ab` with the option “`legacy`”.



Attention, if you used any font package in your document, remember that `physics2` requires to be loaded *after* font packages.

## 2 List of commands

### 2.1 Automatic bracing

As mentioned in §1.1, the `\qty` command from `physics` would cause conflicts with `siunitx`. The command for automatic braces in `physics2` is `\ab`, a shorthand for `automatic braces`.

The `\ab` command requires the `ab` module, so don’t forget to write `\usephysicsmodule{ab}` in the preamble after you loaded `physics2`. Always remember, *do not put an `\ab` separately in the end of a math formula*. Take some examples:

[2.1.1]      `\[ \ab ( \frac{1}{2} ) \quad \quad \quad \left( \frac{1}{2} \right) \quad \left[ \frac{1}{2} \right] \quad \left\{ \frac{1}{2} \right\}`  
              `\ab [ \frac{1}{2} ] \quad \quad \quad \left[ \frac{1}{2} \right]`  
              `\ab\{ \frac{1}{2} \} \quad \quad \quad \left\{ \frac{1}{2} \right\}`

`\ab` can modify a delimiter-braced subformula. But the delimiters should not be out of the range described by the following chart:

(, )	
[, ]	
\{, \}	or \lbrace, \rbrace
<, >	or \langle, \rangle
,	or \vert, \vert
\ , \	or \Vert, \Vert

For example,  $\backslash\text{ab}\{foo\}$  and  $\backslash\text{ab}(foo)$  are illegal, but  $\backslash\text{ab}\{\text{foo}\}$  and  $\backslash\text{ab}(foo)$  are okay;  $\backslash\text{ab}([])$  is okay but  $\backslash\text{ab}()$  is illegal.



Attention, if you want to delimit a subformula with “{” and “}”, you can only write  $\backslash\{$ ,  $\backslash\}$  or  $\backslash\text{lbrace}$ ,  $\backslash\text{rbrace}$  around it.  $\{$  and  $\}$  are not supported in `ab` module.

Between  $\backslash\text{ab}$  and the first delimiter can be a “biggg” command, that is, from  $\backslash\text{big}$  to  $\backslash\text{Bigg}$ . Actually, you can also write  $\backslash\text{biggg}$  and  $\backslash\text{Biggg}$  because `physics2` defines these after you load it. For example,

[2.1.2] 
$$\begin{aligned} & \backslash[ \backslash\text{ab}\backslash\text{Big} \backslash | \backslash\text{frac}12 \backslash | \backslash\text{quad} \\ & \quad \backslash\text{ab}\backslash\text{Bigg} < \backslash\text{frac}12 > \backslash\text{quad} \\ & \quad \backslash\text{ab}\backslash\text{Biggg} | \backslash\text{frac}12 | \backslash \end{aligned}$$

$$\left\| \frac{1}{2} \right\| \quad \left\langle \frac{1}{2} \right\rangle \quad \left| \frac{1}{2} \right|$$

Between  $\backslash\text{ab}$  and the first delimiter can also be a star (\*), which means “use the default size of delimiters”. But in this situation, you needn’t use the  $\backslash\text{ab}$  command at all.

The `physics` package provides commands like  $\backslash\text{pqty}$ ,  $\backslash\text{bqty}$ . In the `ab` module of `physics2`, these commands have changed to  $\backslash\text{pab}$ ,  $\backslash\text{bab}$ , etc. The following example shows all the  $\backslash\text{Xab}$  commands in `ab` module:

[2.1.3] 
$$\begin{aligned} & \backslash\text{def}\backslash0\{\backslash\text{frac}12\} \\ & \backslash[ \backslash\text{pab}\{\backslash0\} \backslash\text{quad} \backslash\text{bab}\{\backslash0\} \\ & \quad \quad \quad \backslash\text{quad} \backslash\text{Bab}\{\backslash0\} \backslash \\ & \backslash[ \backslash\text{aab}\{\backslash0\} \backslash\text{quad} \backslash\text{vab}\{\backslash0\} \\ & \quad \quad \quad \backslash\text{quad} \backslash\text{Vab}\{\backslash0\} \backslash \end{aligned}$$

$$\begin{aligned} & \left( \frac{1}{2} \right) \quad \left[ \frac{1}{2} \right] \quad \left\{ \frac{1}{2} \right\} \\ & \left\langle \frac{1}{2} \right\rangle \quad \left| \frac{1}{2} \right| \quad \left\| \frac{1}{2} \right\| \end{aligned}$$

Also, after  $\backslash\text{Xab}$  can be a “biggg” command or a star. For example,

[2.1.4] 
$$\backslash\text{def}\backslash0\{\backslash\text{frac}12\} \backslash[ \backslash\text{pab}\backslash\text{Bigg}\{\backslash0\} \backslash\text{quad} \backslash\text{bab}*\{\backslash0\} \backslash$$

$$\left( \frac{1}{2} \right) \quad \left[ \frac{1}{2} \right]$$

`physics` also provides the following commands:

$\backslash\text{abs}$   $\backslash\text{norm}$   $\backslash\text{eval}$   $\backslash\text{order}$   $\backslash\text{comm}$   $\backslash\text{acomm}$   $\backslash\text{pb}$



These commands are not originally supported by `physics2`, but the first four commands can be used through the `ab.legacy` module of `physics2`:

$\backslash\text{usephysicsmodule}\{\text{ab.legacy}\}$

For example,

[2.1.5] 
$$\backslash\text{def}\backslash0\{\backslash\text{frac}12\} \backslash[ \backslash\text{abs}\{\backslash0\} \backslash\text{quad} \backslash\text{abs}\backslash\text{Bigg}\{\backslash0\} \backslash\text{quad} \backslash\text{abs}*\{\backslash0\} \backslash$$

$$\left| \frac{1}{2} \right| \quad \left| \frac{1}{2} \right| \quad \left| \frac{1}{2} \right|$$





The `physics` package provides a bundle of commands for log-like functions that have not been defined in the  $\text{\LaTeX} 2_\epsilon$  kernel. Those log-like functions can be used with the `op.legacy` module; this module do not support the syntax of `physics` either. For example:

[2.3.1] 

```
% \usephysicsmodule{op.legacy}
\[\asin^2 x \quad \rank \{ A \} \]
```

 $\asin^2 x \quad \rank\{A\}$

The `\Re` and `\Im` commands are redefined as operators “Re” and “Im”, while  $\Re$  and  $\Im$  are reserved as `\Resymbol` and `\Imsymbol`.  $\Re$  and  $\Im$  are ordinary symbols but `Re` and `Im` are operators.

## 2.4 Quick quad text

The `qtext.legacy` module provides the `\q{foo}` commands for `\quad`-wrapped texts. These commands have the same syntax as `physics`. For example,

[2.4.1] 

```
% \usephysicsmodule{qtext.legacy}
\[\ A \qq {foo bar} B \]
\[\ A \qq*{foo bar} B \]
\[\ C \qcc D \qcc* E \]
\[\ F \qif G \qthen H \]
```

 $A \quad \text{foo bar} \quad B$   
 $A\text{foo bar} \quad B$   
 $C \quad c.c \quad Dc.c \quad E$   
 $F \quad \text{if } G \quad \text{then } H$

All the commands described in §2.4 of [physics documentation](#) are supported when using `qtext.legacy` module, but I don’t recommend to use this module unless you are maintaining a document written with `physics`’s `\q{foo}` commands.

## 2.5 Derivatives

There is no plan for `physics2` to support this part of `physics`. If you want to typeset the differential operators on a better sense, you can try the `fixdif` package; if you want an easy way to type derivatives, you can try the `derivative` package. These two packages can be used together. For example,

[2.5.1] 

```
% \usepackage{fixdif,derivative}
\[\pdv{f}{x,y,z} \d x \]
Math (\d x\$) v.s.\ Text (\d x)
```

$$\frac{\partial^3 f}{\partial x \partial y \partial z} dx$$
  
Math ( $\text{\d}x$ ) v.s. Text ( $\text{\d}x$ )

Here are the documentations of `fixdif` and `derivative`.

`fixdif`’s commands behave better in superscripts and subscripts.

## 2.6 Dirac bra-ket notation

There are two solutions to Dirac bra-ket in `physics2` — `ab.braket` and `braket`. These two modules are *not* compatible and neither of them supports `physics`'s syntax completely. Click [here](#) to see the `ab.braket` module and [here](#) to see the `braket` module.

**The `ab.braket` module** This module provides four commands — `\bra`, `\ket`, `\braket` and `\ketbra`. After these commands can be a star (\*) or a “biggg” command. These commands share similar syntaxes like `\ab`'s syntax. But, *the bra-ket commands from `ab.braket` module are completely different from `\ab`*. Their internal structures are different.

The argument of `\bra` should be delimited with `<` and `|`, that is,

$$\backslash\text{bra} < \langle \textit{subformula} \rangle |$$

For example,

[2.6.1] `\[ \bra < \frac \phi 2 | \]`  
`\[ \bra* < \frac \phi 2 | \]`  
`\[ \bra\Big < \phi | \]`

$$\left\langle \frac{\phi}{2} \right|$$

$$\left\langle \frac{\phi}{2} \right|$$

$$\left\langle \phi \right|$$

The argument of `\ket` should be delimited with `|` and `>`, that is,

$$\backslash\text{ket} | \langle \textit{subformula} \rangle >$$

For example,

[2.6.2] `\[ \ket | \frac \psi 2 > \]`  
`\[ \ket* | \frac \psi 2 > \]`  
`\[ \ket\Big | \psi > \]`

$$\left| \frac{\psi}{2} \right\rangle$$

$$\left| \frac{\psi}{2} \right\rangle$$

$$\left| \psi \right\rangle$$



If you want to write “>” and “<” for relations in the argument of `\bra` and `\ket`, you can write `\mathrel{>}` and `\mathrel{<}` (although there is almost no such need).

The argument of `\braket` should be delimited with `<` and `>`, that is,



`\braket < subformula >`

In the *subformula* argument, every “|” will be regarded as an extensible vertical bar. For example,

[2.6.3] `\[ \braket< \phi > \]`  
`\[ \braket< \phi | \psi > \]`  
`\[ \braket< \phi | A | \psi > \]`

$$\langle \phi \rangle$$

$$\langle \phi | \psi \rangle$$

$$\langle \phi | A | \psi \rangle$$

[2.6.4] `\def\0{\frac\phi2}`  
`\[ \braket < \0 | \psi > \]`  
`\[ \braket* < \0 | \psi > \]`  
`\[ \braket\Bigg< \0 | \psi > \]`

$$\left\langle \frac{\phi}{2} \middle| \psi \right\rangle$$

$$\langle \frac{\phi}{2} | \psi \rangle$$

$$\left\langle \frac{\phi}{2} \middle| \psi \right\rangle$$

The argument of `\ketbra` should be delimited with | and |. In the argument, > and < will be regarded as extensible } and {. that is,

`\ketbra | subformula1 > optional < subformula2 |`

For example,

[2.6.5] `\def\0{\frac\phi2}`  
`\[ \ketbra | \0 >> \psi | \]`  
`\[ \ketbra* | \0 >> \psi | \]`  
`\[ \ketbra\Bigg| \0 >> \psi | \]`

$$\left| \frac{\phi}{2} \right\rangle \langle \psi |$$

$$\left| \frac{\phi}{2} \right\rangle \langle \psi |$$

$$\left| \frac{\phi}{2} \right\rangle \langle \psi |$$

[2.6.6] `\def\0{\frac\phi2}`  
`\[ \ketbra | \0 >_x^y < \psi | \]`

$$\left| \frac{\phi}{2} \right\rangle_x^y \langle \psi |$$



If you want to write “>” and “<” for relations in the argument of `\braket` and `\ketbra`, you can write `\>` and `\<` (although there is almost no such need). It is quite different from `\mathrel{>}` or `\mathrel{<}` because in these commands’ argument, > and < will be redefined.

**The `braket` module** This module contains four commands — `\bra`, `\ket`, `\braket` and `\ketbra`. After these commands can be a star (\*) or a square-bracket-delimited size option, the size option can take the following values:

`big`, `Big`, `bigg`, `Bigg`, `biggg` or `Biggg`.

Star stands for “do not size the bra-ket automatically”.

The argument(s) of these four commands are braced with { and }. `\bra` and `\ket` take one mandatory argument. For example,

[2.6.7]	<pre> \def\0{\frac{\phi}{2}} \[ \bra {\0} \quad \bra* {\0}       \quad \bra[Big] {\0} \] \[ \ket {\0} \quad \ket* {\0}       \quad \ket[Big] {\0} \] </pre>	$\begin{array}{ccc} \left\langle \frac{\phi}{2} \right  & \left\langle \frac{\phi}{2} \right  & \left\langle \frac{\phi}{2} \right  \\ \left  \frac{\phi}{2} \right\rangle & \left  \frac{\phi}{2} \right\rangle & \left  \frac{\phi}{2} \right\rangle \end{array}$
---------	---	---

The `\braket` command, in default, can take two arguments.

[2.6.8]	<pre> \def\0{\frac{\phi}{2}} \[ \braket {\0} {\psi} \quad       \braket*{\0} {\psi} \quad       \braket[big] {\0} {\psi} \] </pre>	$\left\langle \frac{\phi}{2} \middle  \psi \right\rangle \quad \left\langle \frac{\phi}{2} \middle  \psi \right\rangle \quad \left\langle \frac{\phi}{2} \middle  \psi \right\rangle$
---------	--	---

If you want `\braket` to take one or three arguments, you can write the number of arguments in the square bracket. If you need to specify the size of bra-ket simultaneously, you need to separate the number and the size with a comma:

[2.6.9]	<pre> \def\0{\frac{\phi}{2}} \[ \braket [1] {\0} \quad       \braket*[1] {\0} \] \[ \braket [3] {\0}{A}{\psi} \quad       \braket[3,big] {\0}{A}{\psi}       \quad       \braket[Big,3] {\0}{A}{\psi} \] </pre>	$\begin{array}{cc} \left\langle \frac{\phi}{2} \right\rangle & \left\langle \frac{\phi}{2} \right\rangle \\ \left\langle \frac{\phi}{2} \middle  A \middle  \psi \right\rangle & \\ \left\langle \frac{\phi}{2} \middle  A \middle  \psi \right\rangle & \left\langle \frac{\phi}{2} \middle  A \middle  \psi \right\rangle \end{array}$
---------	---	--

The `\ketbra` command takes two mandatory arguments. It can also take an optional argument between the two mandatory arguments. The optional argument will be placed between `\rangle` and `\langle`:



```

[2.7.4] % \usephysicsmodule
% [showleft=3,showtop=3]{xmat}
\[
\pxmat{X}{m}{n}
\]

```

$$\begin{pmatrix} X_{11} & X_{12} & X_{13} & \cdots & X_{1n} \\ X_{21} & X_{22} & X_{23} & \cdots & X_{2n} \\ X_{31} & X_{32} & X_{33} & \cdots & X_{3n} \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ X_{m1} & X_{m2} & X_{m3} & \cdots & X_{mn} \end{pmatrix}$$

```

[2.7.5] \[
\pmat [showleft=2,showtop=2,
format=\texttt{#1[#2][#3]}]
{x}{m}{n}
\]

```

$$\begin{matrix} x[1][1] & x[1][2] & \cdots & x[1][n] \\ x[2][1] & x[2][2] & \cdots & x[2][n] \\ \vdots & \vdots & \ddots & \vdots \\ x[m][1] & x[m][2] & \cdots & x[m][n] \end{matrix}$$

`\pxmat`, `\bxmat`, `\Bxmat`, `\vxmat` and `\Vxmat` are also available.