ukbill:
A package for typesetting UK legislation

Elijah Z Granet*

13 December 2022
Version 1.0.2

Contents

---

*e-mail: ezg21@cantab.ac.uk

1 Overview

This is a class for typesetting bills in the standard used by the Parliament of the United Kingdom. It is meant to be of use to students of law and politics, to Parliamentary agents and lawyers drafting private bills, and to aid in the construct of proposals for law reform. The use of this package requires the libre font 'Palatine Parliamentary', which imitates the official typeface of the UK Parliament.[1]

2 Usage

For an example of the usage of the package, please see the attached 'immigration-bill.tex' example in the package archive.

2.1 Calling the package

Call the package with `\documentclass{ukbill}`

2.2 Declaring variables

In your preamble, declare the following variables to populate your bill.

Variable name	Explanation
\drafter{}	The drafter of the bill
\billcopyright{}	Copyright notice at the end of the bill
\publishedby{}	The publisher of the bill for notice at the end of the bill
\billtitle{}	The title of the bill
billto{}	The purpose or long title of the bill
\humanrights{}	The statutorily required statement under the Human Rights Act 1998
\exptitle{}	The title of the explanatory section—if you have extra notes added separately, title it 'Explanatory Notes'; otherwise use 'Explanatory Memorandum'
\exptext{}	The content of the explanatory memorandum (or notice about separate explanatory notes)
\billnum{}	The number of the bill for the cover sheet and back page
\whereas{}	This variable is needed **only** in the private option of the class. It contains the recitals, best formatted as a numbered list

---

[1]The font is available at this link: https://github.com/ezgranet/palatine-parliamentary

2.3 Bill parts

The command `\chapter` divides the main content of the bill up into appropriate parts noted in the Table of Contents. For example, 'Introductory Provisions'.

2.4 Sections

The section is the main unit of legislation and is titled with `\section`. Most sections will be numbered and numbered subsections use the `numstat` environment as follows:

```
\begin{numstat}
        \item The first provision
        \item The second provision
\end{numstat}
```

Often, these sections will be nested with alphabetical subsubsections, Roman paragraphs, and double alphabetical (*ie*, 'aa') subparagraphs. These are called with `alphstat`, `romstat`, and `twoalphstat`, respectively.

```
\begin{numstat}
        \item A subsection
        \begin{alphstat}
                \item Nesting
                \begin{romstat}
                        \item Even more nesting
                        \begin{twoalphstat}
                                \item this is too much nesting now,
                                ↪  lads
                        \end{twoalphstat}
                \end{romstat}
        \end{alphstat}
        \item a subsection again
\end{numstat}
```

Occasionally, a section will have only one provision, and therefore no numbering is needed. In this case, use the `nostat` environment.

```
\begin{nostat}
        \item The first provision
        \item The second provision
\end{nostat}
```

2.5 Schedules

Some legislation requires schedules appended to the body of main legislation. To begin typesetting schedules (as opposed to the preceding main content of the bill), use the command `\startschedule`

A schedule is then named by the command `\schedule{Name}`, while a Part (*ie*, a subset of a schedule) is called using `\schdpart{name}`

2.6 The 'private' Option

Private bills have a different enacting formula and also make use of recitals. Drafting private bills therefore requires you to call the class with the option `\documentclass[private]{ukbill}`

3 Future Development

The package's online repository is the best place to report bugs, feature requests, or other contributions, and is located at:
`github.com/ezgranet/ukbill`.

4 Licence

This project is licensed under the Latex Public Project Licence version 1.3*c*. This documentation is copyright of the author but licensed under CC-BY-SA 4.0.

5 Version History

5.1 1.0.2

13 December 2022: f

5.2 1.0.1

12 December 2022: Fixes to example documentation

5.3 1.0.0

1 December 2022: Class Creation

6 Implementation

```latex
22  \NeedsTeXFormat{LaTeX2e}
23  \def\ukbillversionnumber{1.0.2}
24  \ProvidesClass{ukbill}[2022-12-01 A Class for Legal Notes]
25    % !TeX program = lualatex
26  % !TeX encoding = utf8
27  % This work may be distributed and/or modified under the
28  % conditions of the LaTeX Project Public License, either version 1.3c
29  % of this license or (at your option) any later version.
30  % The latest version of this license is in
31  %   http://www.latex-project.org/lppl.txt
32  % and version 1.3c or later is part of all distributions of LaTeX
33  % version 2005/12/01 or later.
34  %
35  % This work has the LPPL maintenance status `maintained'.
36  %
37  % The Current Maintainer of this work is Elijah Z Granet
38
39
40  \LoadClass[a4paper,12pt]{memoir}
41  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
42  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
43  % schedule divisions
44  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
45  \newcommand{\schdpart}[1]{\subsubsection{#1}}
46  \newcommand{\startschedule}{\clearpage
47  \setcounter{schedon}{1}
48  %\setcounter{subsection}{}
49  \setcounter{part}{0}
50  \begin{center}
51        \large\textsc{SCHEDULES}
52  \end{center}
53  \addcontentsline{toc}{chapter}{\rule{.45\textwidth}{1pt}}
54  }
55  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
56  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
57  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
58  % Variables
59  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
60  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
61  \makeatletter
62  \newcommand{\drafter}[1]{\def\@drafter{#1}}
63  \newcommand{\printdrafter}{\@drafter}
64  \def\@drafter{\@latex@warning@no@line{No \noexpand\drafter given}}
65  \newcommand{\billcopyright}[1]{\def\@billcopyright{#1}}
```

```latex
\newcommand{\printbillcopyright}{\@billcopyright}
\def\@billcopyright{\@latex@warning@no@line{No \noexpand\billcopyright given}}
\newcommand{\billto}[1]{\def\@billto{#1}}
\newcommand{\printbillto}{\@billto}
\def\@billto{\@latex@warning@no@line{No \noexpand\billto given}}
\newcommand{\whereas}[1]{\def\@whereas{#1}}
\newcommand{\printwhereas}{\@whereas}

\newcommand{\publishedby}[1]{\def\@publishedby{#1}}
\newcommand{\printpublishedby}{\@publishedby}
\def\@publishedby{\@latex@warning@no@line{No \noexpand\publishedby given}}
\newcommand{\billtitle}[1]{\def\@billtitle{#1}}
\newcommand{\printbilltitle}{\@billtitle}
\def\@billtitle{\@latex@warning@no@line{No \noexpand\billtitle given}}
\newcommand{\humanrights}[1]{\def\@humanrights{#1}}
\newcommand{\printhumanrights}{\@humanrights}
\def\@humanrights{\@latex@warning@no@line{No \noexpand\humanrightsgiven}
}
\newcommand{\exptitle}[1]{\def\@exptitle{#1}}
\newcommand{\printexptitle}{\@exptitle}
\def\@exptitle{\@latex@warning@no@line{No \noexpand\exptitle given}}
\newcommand{\exptext}[1]{\def\@exptext{#1}}
\newcommand{\printexptext}{\@exptext}
\def\@exptext{\@latex@warning@no@line{No \noexpand\exptext given}}
\newcommand{\billnum}[1]{\def\@billnum{#1}}
\newcommand{\printbillnum}{\@billnum}
\def\@billnum{\@latex@warning@no@line{No \noexpand\billnum given}}


\makeatother
%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% hyphenation
%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%
\RequirePackage[none]{hyphenat}
%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% list organisation
%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%
\RequirePackage{paralist}
   \let\itemize\compactitem
   \let\enditemize\endcompactitem
   \let\enumerate\compactenum
   \let\endenumerate\endcompactenum
   \let\description\compactdesc
```

```latex
113      \let\enddescription\endcompactdesc
114      \pltopsep=-12pt
115      \plitemsep=0pt
116      \plparsep=0pt
117   \newcounter{schedcount}
118   \counterwithout{section}{chapter}
119
120   \counterwithin{schedcount}{subsubsection}
121   \setsecnumdepth{subsubsection}
122   \def\tocmark{\markboth{\MakeTextUppercase{}}{}}
123   \RequirePackage[absolute]{textpos}
124   \setlength{\TPHorizModule}{10mm}
125   \setlength{\TPVertModule}{10mm}
126   \TPGrid[15mm,1mm]{8}{9}                    % Divide page in 9x9 grid
127   \DeclareRobustCommand{\Leftblock}{{
128   \begin{textblock}{10}(0.5,1.8)\footnotesize\itshape 5\end{textblock}
129   \begin{textblock}{10}(0.5,2.7)\footnotesize\itshape 10\end{textblock}
130   \begin{textblock}{10}(0.5,3.6)\footnotesize\itshape 15\end{textblock}
131   \begin{textblock}{10}(0.5,4.5)\footnotesize\itshape 20\end{textblock}
132   \begin{textblock}{10}(0.5,5.4)\footnotesize\itshape 25\end{textblock}
133   \begin{textblock}{10}(0.5,6.3)\footnotesize\itshape 30\end{textblock}
134   \begin{textblock}{10}(0.5,7.2)\footnotesize\itshape 35\end{textblock}
135   }}
136   \DeclareRobustCommand{\Rightblock}{{
137   \begin{textblock}{10}(7.75,1.8)\footnotesize\itshape 5\end{textblock}
138   \begin{textblock}{10}(7.75,2.7)\footnotesize\itshape 10\end{textblock}
139   \begin{textblock}{10}(7.75,3.6)\footnotesize\itshape 15\end{textblock}
140   \begin{textblock}{10}(7.75,4.5)\footnotesize\itshape 20\end{textblock}
141   \begin{textblock}{10}(7.75,5.4)\footnotesize\itshape 25\end{textblock}
142   \begin{textblock}{10}(7.75,6.3)\footnotesize\itshape 30\end{textblock}
143   \begin{textblock}{10}(7.75,7.2)\footnotesize\itshape 35\end{textblock}
144   }}
145   \DeclareRobustCommand{\Firstblock}{{
146   %\begin{textblock}{10}(7.75,1.8)\footnotesize\itshape 5\end{textblock}
147   %\begin{textblock}{10}(7.75,2.7)\footnotesize\itshape 10\end{textblock}
148   %\begin{textblock}{10}(7.75,3.6)\footnotesize\itshape 15\end{textblock}
149   \begin{textblock}{10}(7.75,4.5)\footnotesize\itshape 5\end{textblock}
150   \begin{textblock}{5}(7.75,5.4)\footnotesize\itshape 10\end{textblock}
151   \begin{textblock}{10}(7.75,6.3)\footnotesize\itshape 15\end{textblock}
152   \begin{textblock}{10}(7.75,7.2)\footnotesize\itshape 20\end{textblock}
153   }}
154
155   \RequirePackage{ccicons}
156    \makepagestyle{bill}
157     \makepagestyle{billfirst}
158
159     \makeatletter
```

```latex
160    \makepsmarks {bill}{
161  \nouppercaseheads}
162  \makeatother
163  \makeatletter
164   \renewcommand{\bookpagemark}[1]{\itshape\thetitle\\}
165    \makepsmarks {billfirst}{
166  \nouppercaseheads}
167  \makeatother
168   \renewcommand{\bookpagemark}[1]{\noindent\itshape\thetitle\\}
169
170  % \renewcommand{\partpagemark}[1]{\itshape\thetitle\\}
171   \makepagestyle{front}
172
173   \makepagestyle{sched}
174   \makeatletter
175   \makepsmarks {sched}{
176  \nouppercaseheads}
177  \makeatother
178   \renewcommand{\bookpagemark}[1]{\itshape\thetitle\\}
179  % \renewcommand{\partpagemark}[1]{\itshape\thetitle\\}
180  \clearmark{chapter}
181  \clearmark{section}
182
183  \createmark{part}{both}{shownumber}{\partname\space}{.\space}
184
185
186   \RequirePackage[margin=3.25cm,headheight=100pt]{geometry}
187   \makeatletter
188   \makeevenfoot{front}{}{}{\printbillnum}
189    \makeoddfoot{front}{}{}{\printbillnum}
190     \makeatother
191
192  \renewcommand{\bookname}{\printbilltitle}
193  \makeheadrule{bill}{\textwidth}{1pt}
194
     ↪   \makeevenhead{bill}{\Rightblock\normalsize\thepage\ifnum\value{part}>0\\\else\fi\ifnum\value{schedon}=1\\\
     ↪   12pt\else\fi}{}{\footnotesize\itshape\bookname
195    \ifnum\value{schedon}=1
196  \\ \itshape Schedule
     ↪   \arabic{subsection}\hspace{1ex}--\hspace{1ex}\currentsubsection \else\fi
197    \ifnum\value{part}>0
198  \\Part \arabic{part}\hspace{1ex}--\hspace{1ex}\rightmark
199   \else\fi\ifnum\value{subsubsection}>0\\Part
     ↪   \arabic{subsubsection}\hspace{1ex}--\hspace{1ex}\currentsubsubsection\else\fi}
200    \makeoddhead{bill}{\Rightblock\footnotesize\itshape\bookname
201     \ifnum\value{schedon}=1
202  \\ \itshape Schedule
     ↪   \arabic{subsection}\hspace{1ex}--\hspace{1ex}\currentsubsection \else\fi
```

```latex
    \ifnum\value{part}>0
\\Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
 \else\fi\ifnum\value{subsubsection}>0\\Part
 ↪   \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}{}{\normalsize\thepage\ifnum
 ↪   12pt\else\fi}
 \makeoddfoot{bill}{}{}{}
%\renewcommand{\subsectionmark}[1]{#1}



%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% bill-first

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
\makeheadrule{billfirst}{\textwidth}{1pt}

 ↪   \makeevenhead{billfirst}{\Firstblock\normalsize\thepage\ifnum\value{part}>0\\\else\fi\ifnum\value{schedon
 ↪   12pt\else\fi}{}{\footnotesize\itshape\bookname
  \ifnum\value{schedon}=1
\\ \itshape Schedule
 ↪   \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi
  \ifnum\value{part}>0
\\Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
 \else\fi\ifnum\value{subsubsection}>0\\Part
 ↪   \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}
  \makeoddhead{billfirst}{\Firstblock\footnotesize\itshape\bookname
  \ifnum\value{schedon}=1
\\ \itshape Schedule
 ↪   \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi
  \ifnum\value{part}>0
\\Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
 \else\fi\ifnum\value{subsubsection}>0\\Part
 ↪   \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}{}{\normalsize\thepage\ifnum
 ↪   12pt\else\fi}
 \makeoddfoot{billfirst}{}{}{}
%\renewcommand{\subsectionmark}[1]{#1}


\renewcommand{\chaptermark}[1]{#1}
\cftpagenumbersoff{part}
\cftpagenumbersoff{chapter}
\cftpagenumbersoff{subsection}
\cftpagenumbersoff{subsubsection}
```

```latex
\renewcommand{\cftsubsectionpresnum}{\flushleft Schedule\hspace{1ex}}% Prefix
↪  to number for \subsection in ToC

\renewcommand{\cftsubsubsectionpresnum}{Part\hspace{1ex}}% Prefix to number
↪  for \subsection in ToC

\renewcommand{\thesubsection}{\arabic{subsection}}
\renewcommand{\thesubsubsection}{\arabic{subsubsection}}
\renewcommand{\cftsubsectionaftersnum}{\hspace{1ex}−\hspace{1ex}}
\renewcommand{\cftsubsubsectionaftersnum}{\hspace{1ex}−\hspace{1ex}}

\settocdepth{subsubsection}
\cftpagenumbersoff{section}
\makeatletter
\let\stdl@chapter\l@chapter
\renewcommand*{\l@chapter}[2]{\stdl@chapter{\centerline{#1}}{#2}}
\makeatother
\cftsetindents{subsection}{1.75cm}{10em}
\cftsetindents{subsubsection}{1.75cm}{10em}

\renewcommand{\cftsubsectionpresnum}{Schedule\hfill}
\renewcommand{\cftsubsectionaftersnum}{\quad−\quad}
\renewcommand{\cftsubsubsectionpresnum}{\qquad Part\hfill}
\renewcommand{\cftsubsubsectionaftersnum}{\quad−\quad}

%\setlength\cftsubsectionnumwidth{7.3em}
%\setlength\cftsubsubsectionnumwidth{4em}

\renewcommand{\title}{\printbilltitle}
\RequirePackage{changepage}   % for the adjustwidth environment
\renewcommand{\part}[1]{\stepcounter{part}\markright{#1}
\begin{center}
\printpartname\hspace{1ex}\arabic{part}\\
\printparttitle{#1}\normalfont\normalsize\\\end{center}
\addcontentsline{toc}{part}{\normalsize\bfseries\printpartname\hspace{1ex}%
\arabic{part}\normalfont\\
\centerline{\normalsize\normalfont\scshape\printparttitle{#1}}}
}
  \renewcommand\contentsname{CONTENTS}%

\renewcommand{\chapter}[1]{\stepcounter{chapter}\markright{#1}
\begin{center}
\itshape\printchaptertitle{#1}\normalfont\normalsize\\%
\end{center}
\addcontentsline{toc}{chapter}{\normalsize\itshape
\centerline{\normalsize\normalfont\itshape\printchaptertitle{#1}}}
}
```

```latex
\renewcommand{\partnamefont}{\normalfont\centering\bfseries\scshape}
\renewcommand{\parttitlefont}{\normalfont\centering\scshape}
\makeatletter
\renewcommand{\partnumberline}[1]{\hfil\hspace\@tocrmarg #1~}
\makeatother

\renewcommand{\partnumfont}{\normalfont\bfseries\centering\normalsize\scshape}
\renewcommand{\partnamenum}{\normalfont\bfseries\centering\normalsize\scshape}
\RequirePackage{setspace}
\renewcommand{\chapterheadstart}{\vspace*{\beforechapskip}}
\renewcommand{\printchaptername}{\chapnamefont \@chapapp}
\renewcommand{\chapternamenum}{\space}
\renewcommand{\printchapternum}{\chapnumfont \thechapter}
\renewcommand{\afterchapternum}{\par\nobreak\vskip \midchapskip}
\renewcommand{\printchapternonum}{}
\renewcommand{\chapterheadstart}{}
\renewcommand{\printchaptername}{}
\renewcommand{\chapternamenum}{}
\renewcommand{\printchapternum}{}
\renewcommand{\afterchapternum}{}
\setlength{\parskip}{0pt}
\renewcommand{\printchaptertitle}[1]{\chaptitlefont #1}
\renewcommand{\afterchaptertitle}{\par\nobreak\vskip \afterchapskip}
\renewcommand{\printtoctitle}[1]{\large\scshape\centerline{\MakeUppercase{#1}}}
\renewcommand{\chapnamefont}{\normalfont\centering\itshape}
\renewcommand{\chapnumfont}{\normalfont\centering\itshape}
\renewcommand{\chaptitlefont}{\normalfont\centering\itshape}

\setlength{\beforechapskip}{12pt}
\setlength{\midchapskip}{0pt}
\setlength{\afterchapskip}{12pt}
\setbeforesecskip{-1em}
\setaftersecskip{-1em}
\setbeforesubsecskip{-1em}
\setaftersubsecskip{-1em}
\renewcommand*{\thesection}{\arabic{section}}
\setsecnumformat{\csname the#1\endcsname\hspace{5ex}}
%\setsubsecnumformat{\csname the#1\endcsname\hspace{5ex}}
%\setsubsecheadstyle{\bfseries}
%\setsubsecheadstyle{\scshape\centering}
%\setsubsectionnumformat{SCHEDULE \quad\csname the#1\endcsname\newline}
\RequirePackage[compact]{titlesec}
\titleformat{\subsection}[display]
  {\normalfont\centering\scshape}{SCHEDULE \hspace{2ex }\thesubsection}{5pt}{}
\titleformat{\subsubsection}[display]
  {\normalfont\centering\scshape}{Part \thesubsubsection}{5pt}{}
```

```latex
                                                                                                333
    \setsecheadstyle{\centering\bfseries}                                                       334
    \renewcommand{\part}[1]{\stepcounter{part}\markright{#1}                                     335
    \begin{center}                                                                               336
    \normalfont\normalsize\itshape\printchaptertitle{#1}\normalfont\normalsidze\\\end{center}    337
    \addcontentsline{toc}{chapter}{                                                              338
    \centerline{\normalsize\normalfont\itshape\printchaptertitle{#1}}}                           339
    }                                                                                            340
    \RequirePackage{fontspec}                                                                    341
    \IfFontExistsTF{Palatine Parliamentary}{                                                     342
    \setmainfont[                                                                                343
    Scale=.98,                                                                                   344
    SmallCapsFeatures={LetterSpace=10,RawFeature={+smcp,},,},                                    345
    BoldFeatures = {SmallCapsFont= {PalatineP-Bold},SmallCapsFeatures={%                         346
    RawFeature={+smcp,}%                                                                         347
    }},                                                                                          348
    BoldFont={PalatineP-Bold},                                                                   349
     ItalicFont={PalatineP-Italic},                                                              350
     BoldItalicFont={PalatineP-BoldItalic}]{PalatineP-Regular}                                   351
    \newfontface{\extfont}[SmallCapsFont={Times New Roman}]{Times New                            352
    ↪   Roman}}{\ClassWarning{Please install the Palatine Parliamentary Font}}
                                                                                                353
    \RequirePackage[english]{babel}                                                              354
    %\RequirePackage{csquotes}                                                                   355
    %\MakeOuterQuote{"}                                                                          356
    %%\DeclareQuoteStyle{english}%                                                               357
    %%     {{\extfont\textquotedblleft}}                                                         358
    %%     [\extfont\textquotedblleft]                                                           359
    %%     {{\extfont\textquotedblright}}                                                        360
    %%       [0.05em]                                                                            361
    %%     {{\extfont\textquoteleft}}                                                            362
    %%     [{\extfont\textquoteleft}]                                                            363
    %%     {{\extfont\textquoteright}}                                                           364
    \RequirePackage{enumitem}                                                                    365
    \newenvironment{statquote}%                                                                  366
    {                                                                                            367
    \begin{list}{}%                                                                              368
    {%                                                                                           369
    \setlength{\topsep}{0ex}%                                                                    370
    \setlength{\partopsep}{0ex}%                                                                 371
    \setlength{\parsep}{0.5ex}%                                                                  372
    \setlength{\itemsep}{i}%                                                                     373
    \addtolength{\leftmargin}{3em}%                                                              374
    \addtolength{\rightmargin}{3em}%                                                             375
    }%                                                                                           376
    \item[]}%                                                                                    377
    {\end{list}}                                                                                 378
```

```latex
\newenvironment{nostat}{\begin{enumerate}[nosep,leftmargin=1.25cm,%
labelindent=5pt,itemindent=0,label=]}{\end{enumerate}}
\newenvironment{numstat}%
{%
%\vspace{-9ex}%
\begin{enumerate}[nosep,partopsep=0pt,
%parsep=0.5ex,
%itemsep=1ex,
labelsep=3ex,
leftmargin=4em,rightmargin=1.5em,label=(\arabic*)]%
\item[]}%
{\end{enumerate}%
\vspace{1ex}\normalfont}%
\newenvironment{schumstat}%
{%
%\vspace{-9ex}%
\begin{enumerate}[nosep,partopsep=0pt,
%parsep=0.5ex,
itemsep=0ex,
labelsep=0ex,
leftmargin=0em,rightmargin=0em,label=]%
\item[]}%
{\end{enumerate}%
\vspace{1ex}\normalfont}%

\newcounter{alphcount}

\newenvironment{instatquote}%
{%
\setcounter{alphcount}{0}
\vspace{-3ex}%
\begin{list}{}%
{%
\setlength{\topsep}{0ex}%
\setlength{\partopsep}{1ex}%
\setlength{\parsep}{0.5ex}%
\setlength{\itemsep}{0ex}%
}%
\item[]}%
{\end{list}%
}%
\newenvironment{alphstat}%
{%
\vspace{-3ex}%
\begin{enumerate}[leftmargin=7.5ex,topsep=0ex,partopsep=1ex,parsep=0.5ex,%
itemsep=0ex,labelsep=3ex,label=({\alph*})]%

```

```latex
426  \item[]}%
427  {\end{enumerate}%
428  }%
429  \newenvironment{romstat}%
430  {%
431  \vspace{-3ex}%
432  \begin{enumerate}[topsep=0ex,partopsep=1ex,parsep=0.5ex,itemsep=0ex,%
433  label=(\roman*)]%
434
435  \item[]}%
436  {\end{enumerate}%
437  }%
438  \newenvironment{twoalphstat}%
439  {%
440  \vspace{-3ex}%
441  \begin{enumerate}[leftmargin=7.5ex,topsep=0ex,partopsep=1ex,parsep=0.5ex,%
442  itemsep=0ex,labelsep=3ex,label=({\alph*}{\alph*})]%
443
444  \item[]}%
445  {\end{enumerate}%
446  }%
447
448  \newcommand*\statquotelabel[1]{}
449
450  \newcommand{\stat}[2]{
451  \item[(#1)]#2
452  }
453
454  \newcommand{\stathead}[2]{
455  \textbf{#1}\hspace{5ex}\textbf{#2}
456  }
457
458
459
460
461  \setlength{\parindent}{0pt}
462  \RequirePackage{lettrine}
463  \setcounter{DefaultLines}{2}
464  %\renewcommand{\DefaultLraise}{0.05}
465  %\renewcommand{\DefaultLoversize}{.07}
466  %\renewcommand{\LettrineFontHook}{\initials}
467  %\RequirePackage{initials}
468  %\RequirePackage{Romantik}%\romantik{}
469  %\RequirePackage{Royal}%\royal
470
471  \newcommand{\intl}[2]{\lettrine{#1}{\hspace{1ex}\textsc{#2}}}
472  \renewcommand{\maketitle}{\thispagestyle{front}
```

```latex
      \begin{center}
      {\Huge\textbf{\title}}\\\rule{\textwidth}{1pt}\\\rule[16pt]{\textwidth}{2pt}
      \end{center}
      }
      \newcommand{\schedule}[1]{\subsection{#1}}
\newcounter{schedon}
\setcounter{schedon}{0}

\newcommand{\currentsubsection}{}
\let\oldsubsection\subsection
\renewcommand{\subsection}[1]{\oldsubsection{#1}\renewcommand{%
\currentsubsection}{#1}}

\newcommand{\currentsubsubsection}{}
\let\oldsubsubsection\subsubsection
\renewcommand{\subsubsection}[1]{\oldsubsubsection{#1}\renewcommand{%
\currentsubsubsection}{#1}}
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% enacting
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
\newcommand{\enactingformula}{
\intl{B}{e it enacted} by the King's most Excellent Majesty, by and with the
↪   advice and consent of the Lords Spiritual and Temporal, and Commons, in
↪   this present Parliament assembled, and by the authority of the same, as
↪   follows:---}

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%enacting option
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
\DeclareOption{private}{
\makeatletter
\renewcommand{\enactingformula}{
\intl{W}{hereas}---

\hspace{2em}\begin{minipage}{.75\textwidth}

\printwhereas
\end{minipage}

\medskip

\intl{M}{ay} it therefore please Your Majesty that it may be enacted, and be
↪   it enacted, by
```

```
516  the King's Most Excellent Majesty, by and with the advice and consent of the
     ↪  Lords
517  Spiritual and Temporal, and Commons, in this present Parliament assembled, and
     ↪  by
518  the authority of the same, as follows:—
519  }
520
521
522  \makeatother
523
524  }
525
526  \ProcessOptions\relax
527
528
529  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
530  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
531  % begindoc
532  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
533  %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
534  \AtBeginDocument{\emergencystretch 3em
535  \sloppy
536  \OnehalfSpacing
537  \pagestyle{front}
538  \pagenumbering{roman}
539  \maketitle
540  \medskip
541  \extfont
542  \begin{center}\scshape\MakeUppercase{\printexptitle}\end{center}
543
544  \printexptext
545  \medskip
546
547  \begin{center}\scshape EUROPEAN CONVENTION ON HUMAN RIGHTS\end{center}
548
549  \printhumanrights
550  \normalfont
551  \clearpage\maketitle
552  \begin{KeepFromToc}
553  \normalfont\normalsize
554  \tableofcontents
555  \end{KeepFromToc}
556
557  \vskip 3ex
558  \mainmatter
559  \pagenumbering{arabic}
560  \pagestyle{bill}\thispagestyle{billfirst}
```

16

```latex
\begin{center}
        \scshape a
        \medskip

        \normalfont\Huge\bfseries B\hspace{.5ex}I\hspace{.5ex}L\hspace{.5ex}L

        \medskip

        \normalfont\normalsize\scshape to\normalfont

\end{center}

        \medskip

\noindent\footnotesize\extfont\printbillto\normalsize \normalfont

\medskip

\enactingformula

\medskip



}


\AtEndDocument{\cleardoublepage


    \setcounter{page}{0}
    \pagenumbering{arabic}
    \setcounter{page}{1}
\thispagestyle{front}

  \begin{center}
  {\Huge\textbf{\title}}\\\rule{\textwidth}{1pt}\\\rule[16pt]{\textwidth}{2pt}
  \end{center}

\begin{center}
        \normalfont\scshape a
        \medskip

        \normalfont\Huge\bfseries B\hspace{.5ex}I\hspace{.5ex}L\hspace{.5ex}L

        \vskip 3ex
        \end{center}
```

```
608
609    \normalsize To make provision in connection with the citizens of certain
       ↪    Commonwealth Realms
610
611            \vskip 3ex
612            \begin{center}
613
614    \normalsize\normalfont\itshape        Presented by \printdrafter
615
616    \vskip 3ex
617
618    \rule{.45\textwidth}{1pt}
619    \vspace{1ex}
620
621    \begin{minipage}{.4\textwidth}\centering
622    \itshape Ordered, by\normalfont\ \printdrafter\itshape\ to be Printed,
       ↪    \normalfont 19\itshape th March \normalfont 2020\itshape.
623    \end{minipage}
624
625    \vspace{1ex}
626
627    \rule{.45\textwidth}{1pt}
628
629    \vskip 5ex
630
631    \normalfont\footnotesize\printbillcopyright
632
633
634    \vskip 1ex
635
636    \normalfont\scshape\MakeUppercase{Published By \printpublishedby}
637    \end{center}
638    }
```